

B4150	ENTERAL FORMULA, NUTRITIONALLY COMPLETE WITH INTACT NUTRIENTS, INCLUDES PROTEINS, FATS, CARBOHYDRATES, VITAMINS AND MINERALS, MAY INCLUDE FIBER, <b>ADMINISTERED THROUGH AN ENTERAL FEEDING TUBE</b> , 100 CALORIES = 1 UNIT
B4150 <b>SC</b>	ENTERAL FORMULA, NUTRITIONALLY COMPLETE WITH INTACT NUTRIENTS, INCLUDES PROTEINS, FATS, CARBOHYDRATES, VITAMINS AND MINERALS, MAY INCLUDE FIBER, <b>ADMINISTERED ORALLY</b> , 100 CALORIES = 1 UNIT

Name	Indications	Caloric Density
Boost	general dietary supplement	30/oz
Boost High Protein	increased protein needs	30/oz
Ensure	general dietary supplement	31/oz
Ensure High Protein	high protein needs	29/oz
Ensure with Fiber	regular supplement, fiber maintains bowel function	31/oz
Fibersource HN	abnormal bowel function, extended inactivity	36/oz
Isosource HN	elevated protein requirements	36/oz
Isosource	nutritional supplement	36/oz
Jevity 1 Cal	tube feeding	31/oz
Jevity 1.2 Cal	high nitrogen tube feeding	36/oz
Nutren 1.0	general dietary supplement	30/oz
Nutren Replete	Very High Protein Liquid Nutrition	
Nutren 1.0 Fiber	general dietary supplement w/ fiber	30/oz
Osmolite	tube feeding	31/oz
Osmolite 1 Cal	tube feeding	31/oz
Osmolite 1.2 Cal	tube feeding	36/oz
Promote	increased protein	30/oz
Promote with Fiber	increased protein w/ fiber	30/oz
Replete	pressure ulcers, burns	30/oz
Replete with Fiber	pressure ulcers, burns, contains fiber	30/oz

B4152	ENTERAL FORMULA, NUTRITIONALLY COMPLETE, CALORICALLY DENSE (EQUAL TO OR GREATER THAN 1.5 KCAL/ML) WITH INTACT NUTRIENTS, INCLUDES PROTEINS, FATS, CARBOHYDRATES, VITAMINS AND MINERALS, MAY INCLUDE FIBER, <b>ADMINISTERED THROUGH AN ENTERAL FEEDING TUBE</b> , 100 CALORIES = 1 UNIT
B4152 <b>SC</b>	ENTERAL FORMULA, NUTRITIONALLY COMPLETE, CALORICALLY DENSE (EQUAL TO OR GREATER THAN 1.5 KCAL/ML) WITH INTACT NUTRIENTS, INCLUDES PROTEINS, FATS, CARBOHYDRATES, VITAMINS AND MINERALS, MAY INCLUDE FIBER, <b>ADMINISTERED ORALLY</b> , 100 CALORIES = 1 UNIT

Name	Indications	Caloric Density
Boost Plus	increased caloric needs	45/oz
<b>Ensure Clinical Strength</b>	<b>increased caloric needs</b>	<b>8/oz</b>
<del>Ensure Plus (Rebranded)</del>	<del>increased caloric needs or fluid restriction</del>	<del>45/oz</del>
<del>Ensure Plus HN</del>	<del>increased protein and caloric needs</del>	<del>44/oz</del>
Isosource 1.5	pulmonary conditions, elevated caloric and protein needs	45/oz
Jevity 1.5	High-Protein Nutrition	8-oz
<del>NovaSource 2.0</del> renamed Resource 2.0	fluid restriction, increased caloric needs	60/oz
Nutren 1.5	increased caloric needs	45/oz
Nutren 2.0	very high calorie requirements	60/oz
Osmolite 1.2 Cal	High-Protein Nutrition	8-oz
<b>Osmolite 1.5 Cal</b>	<b>High-Protein Nutrition</b>	<b>8-oz</b>
Resurgex Plus	oxidative stress	50/oz
TwoCal HN	elevated protein and calorie needs	59/oz

B4153	ENTERAL FORMULA, NUTRITIONALLY COMPLETE, HYDROLYZED PROTEINS (AMINO ACIDS AND PEPTIDE CHAIN), INCLUDES FATS, CARBOHYDRATES, VITAMINS AND MINERALS, MAY INCLUDE FIBER, <b>ADMINISTERED THROUGH AN ENTERAL FEEDING TUBE</b> , 100 CALORIES = 1 UNIT
B4153 SC	ENTERAL FORMULA, NUTRITIONALLY COMPLETE, HYDROLYZED PROTEINS (AMINO ACIDS AND PEPTIDE CHAIN), INCLUDES FATS, CARBOHYDRATES, VITAMINS AND MINERALS, MAY INCLUDE FIBER, <b>ADMINISTERED ORALLY</b> , 100 CALORIES = 1 UNIT



Name	Indications	Caloric Density
<b>Crucial</b>	<b>Elemental Nutrition for GI-Dysfunction</b>	
<b>Impact Peptide 1.5</b>	<b>Elemental Nutrition for GI-Dysfunction</b>	
Impact Glutamine	GI impairment, weakened immune system	39/oz
L-Emental MIXED 1 packet to 8.5 ounces water to make 10 ounces formula	gastrointestinal impairment, malabsorption	30/oz
Optimental	Malabsorptive Conditions	
Peptamen	gastrointestinal impairment, malabsorption	30/oz
Peptamen 1.5	gastrointestinal impairment, over four years	45/oz
Peptamen AF	gastrointestinal impairment	36/oz
<b>Peptamen OS</b>	<b>gastrointestinal impairment</b>	<b>30/oz</b>
<b>Peptamen OS 1.5</b>	<b>gastrointestinal impairment</b>	<b>45/oz</b>
Peptamen with PreBio1	gastrointestinal impairment, malabsorption	30/oz
Perative	metabolic stress	
Tolerex	intractable diarrhea, impaired digestion, absorption	30/oz
<del>Vital HN</del>	<del>impaired digestion or absorption</del>	
<b>Vital 1.0 Cal</b>	<b>impaired digestion or absorption</b>	
<b>Vital 1.5 Cal</b>	<b>impaired digestion or absorption</b>	
Vivonex Plus	GI impairment and catabolic stress	30/oz
Vivonex RTF	malabsorption, short gut syndrome,	30/oz
Vivonex TEN	malabsorption, short gut syndrome	30/oz

B4154	ENTERAL FORMULA, NUTRITIONALLY COMPLETE, FOR SPECIAL METABOLIC NEEDS, EXCLUDES INHERITED DISEASE OF METABOLISM, INCLUDES ALTERED COMPOSITION OF PROTEINS, FATS, CARBOHYDRATES, VITAMINS AND/OR MINERALS, MAY INCLUDE FIBER, <b>ADMINISTERED THROUGH AN ENTERAL FEEDING TUBE</b> , 100 CALORIES = 1 UNIT
B4154 SC	ENTERAL FORMULA, NUTRITIONALLY COMPLETE, FOR SPECIAL METABOLIC NEEDS, EXCLUDES INHERITED DISEASE OF METABOLISM, INCLUDES ALTERED COMPOSITION OF PROTEINS, FATS, CARBOHYDRATES, VITAMINS AND/OR MINERALS, MAY INCLUDE FIBER, <b>ADMINISTERED ORALLY</b> , 100 CALORIES = 1 UNIT

Name	Indications	Caloric Density
Advera	HIV and malabsorption conditions	38/oz
<del>Glucerna 1.0</del>	<del>diabetes and stress induced hyperglycemia</del>	<del>30/oz</del>
<del>Glucerna 1.2</del>	<del>diabetes and stress induced hyperglycemia</del>	<del>30/oz</del>
<del>Glucerna 1.5</del>	<del>diabetes and stress induced hyperglycemia</del>	<del>30/oz</del>
<del>Glucerna Shake</del>	<del>diabetes and stress induced hyperglycemia</del>	
Glytrol	hyperglycemia	30/oz
Impact	trauma, major surgery, sepsis, burns	30/oz
Impact with Fiber	trauma, major surgery, sepsis, burns with fiber blend for bowel management	30/oz
Impact 1.5	trauma, major surgery, sepsis, burns; volume/fluid restricted	45/oz
Impact Advanced Recovery	weakened immune system	42.5/oz
KetoCal	epilepsy, over one year of age	1.4/cc
Nutren Pulmonary	Pulmonary Disease	250 mL (1 Can)
NutriHep	hepatic conditions	45/oz
NutriRenal	renal failure	60/oz
Nepro	renal failure, fluid & electrolyte restriction	60/oz
NovaSource Renal	renal failure, fluid & electrolyte restriction	60/oz
Oxepa	pulmonary disease	45/oz
Pulmocare	respiratory illnesses	44/oz
Renalcal	renal failure	60/oz
<b>Ren/Gen</b>	<b>renal supplement</b>	<b>6/oz</b>
Resource Diabetic	stress induced hyperglycemia	32/oz
Suplena	renal failure	59/oz

B4155	ENTERAL FORMULA, NUTRITIONALLY INCOMPLETE/MODULAR NUTRIENTS, INCLUDES SPECIFIC NUTRIENTS, CARBOHYDRATES (E.G. GLUCOSE POLYMERS), PROTEINS/AMINO ACIDS (E.G. GLUTAMINE, ARGININE), FAT (E.G. MEDIUM CHAIN TRIGLYCERIDES) OR COMBINATION, <b>ADMINISTERED THROUGH AN ENTERAL FEEDING TUBE</b> , 100 CALORIES = 1 UNIT
-------	---

B4155 <b>SC</b>	ENTERAL FORMULA, NUTRITIONALLY INCOMPLETE/MODULAR NUTRIENTS, INCLUDES SPECIFIC NUTRIENTS, CARBOHYDRATES (E.G. GLUCOSE POLYMERS), PROTEINS/AMINO ACIDS (E.G. GLUTAMINE, ARGININE), FAT (E.G. MEDIUM CHAIN TRIGLYCERIDES) OR COMBINATION, <b>ADMINISTERED ORALLY</b> , 100 CALORIES = 1 UNIT
-----------------	--



Name	Indications	Caloric Density
Duocal	restricted protein, modular product	
Microlipid	fat emulsion for tube feeding	22t
MCT Oil	fat malabsorption, modular product	115/T; 64 T/bottle
PhenylAde60	high protein, low calorie, low volume PKU formula	454g can
Polycose	carbohydrate, modular product	
ProMod	protein supplement, modular product	
ProPhree	protein free product, modular	
Proteinex Liquid	protein supplement, modular product	8oz
Beneprotein (formerly Resource Beneprotein Instant Protein Powder)	protein supplement, modular product	6-8oz
Ross Carbohydrate Free	seizure disorders, intolerance to conventional formulas	12/oz

B4157	ENTERAL FORMULA, NUTRITIONALLY COMPLETE, FOR SPECIAL METABOLIC NEEDS FOR INHERITED DISEASE OF METABOLISM, INCLUDES PROTEINS, FATS, CARBOHYDRATES, VITAMINS AND MINERALS, MAY INCLUDE FIBER, <b>ADMINISTERED THROUGH AN ENTERAL FEEDING TUBE</b> , 100 CALORIES = 1 UNIT
B4157 SC	ENTERAL FORMULA, NUTRITIONALLY COMPLETE, FOR SPECIAL METABOLIC NEEDS FOR INHERITED DISEASE OF METABOLISM, INCLUDES PROTEINS, FATS, CARBOHYDRATES, VITAMINS AND MINERALS, MAY INCLUDE FIBER, <b>ADMINISTERED ORALLY</b> , 100 CALORIES = 1 UNIT

Name	Indications	Caloric Density
Camino pro- MSUD	inborn error of metabolism	
Camino pro- PKU	inborn error of metabolism	
Complex Essential MSD	inborn error of metabolism	454g
Cyclinex - 2	defect in urea cycle enzyme	31/oz
Glutarex - 2	glutaric aciduria	27/oz
HCY 2	homocystinuria	
Hominex - 2	homocystinuria or hypermethioninemia	
I – Valex - 2	inborn error of metabolism	
Ketonex – 2	inborn error of metabolism	27/oz
MSUD Maxamum	inborn error of metabolism	
Periflex	inborn error of metabolism	
Phenex - 2	inborn error of metabolism	
PhenylAde Essential	inborn error of metabolism	454g
Phenyl-Free 2	inborn error of metabolism, children, adults	
Phenyl-Free 2HP	inborn error of metabolism, older children, adults, pregnant women	
Propimex – 2	inborn error of metabolism, children, adults	
Tyrex - 2	inborn error of metabolism, children, adults	
WND 2	inborn error of metabolism	
XLEU Maxamum	inborn error of metabolism	
XLYS, TRY Maxamum	inborn error of metabolism	
XMET Maxamum	inborn error of metabolism	
XPhe Analog (now called Periflex Infant B4162)	inborn error of metabolism	
XP Maxamum	inborn error of metabolism	
MSUD 2	inborn error of metabolism	

B4160	ENTERAL FORMULA, FOR PEDIATRICS, NUTRITIONALLY COMPLETE CALORICALLY DENSE (EQUAL TO OR GREATER THAN 0.7 KCAL/ML) WITH INTACT NUTRIENTS, INCLUDES PROTEINS, FATS, CARBOHYDRATES, VITAMINS AND MINERALS, MAY INCLUDE FIBER, <b>ADMINISTERED THROUGH AN ENTERAL FEEDING TUBE</b> , 100 CALORIES = 1 UNIT
B4160 <b>SC</b>	ENTERAL FORMULA, FOR PEDIATRICS, NUTRITIONALLY COMPLETE CALORICALLY DENSE (EQUAL TO OR GREATER THAN 0.7 KCAL/ML) WITH INTACT NUTRIENTS, INCLUDES PROTEINS, FATS, CARBOHYDRATES, VITAMINS AND MINERALS, MAY INCLUDE FIBER, <b>ADMINISTERED ORALLY</b> , 100 CALORIES = 1 unit

Name	Indications	Caloric Density
Boost Kid Essentials	oral or tube feeding	30/oz
Boost Kid Essentials 1.5	oral or tube feeding	45/oz
Boost Kid Essentials 1.5 with Fiber	oral or tube feeding	45/oz
Kindercal	supplement	30/oz
Kindercal with Fiber	supplement	30/oz
Kindercal TF	tube feeding	30/oz
Kindercal TF with Fiber	tubed feeding	30/oz
Nutren Junior	standard tube or oral feeding	30/oz
Nutren Junior with Fiber	standard tube or oral feeding w/fiber	30/oz
PediaSure	nutritional supplement	30/oz
PediaSure 1.5 Cal	nutritional supplement	
PediaSure 1.5 Cal with Fiber		
PediaSure Enteral	tube feeding	30/oz
PediaSure Enteral with Fiber	tube feeding	30/oz
PediaSure with Fiber	nutritional supplement	30/oz

B4161	ENTERAL FORMULA, FOR PEDIATRICS, HYDROLYZED/AMINO ACIDS AND PEPTIDE CHAIN PROTEINS, INCLUDES FATS, CARBOHYDRATES, VITAMINS AND MINERALS, MAY INCLUDE FIBER, <b>ADMINISTERED THROUGH AN ENTERAL FEEDING TUBE</b> , 100 CALORIES = 1 UNIT
B4161 SC	ENTERAL FORMULA, FOR PEDIATRICS, HYDROLYZED/AMINO ACIDS AND PEPTIDE CHAIN PROTEINS, INCLUDES FATS, CARBOHYDRATES, VITAMINS AND MINERALS, MAY INCLUDE FIBER, <b>ADMINISTERED ORALLY</b> , 100 CALORIES = 1 UNIT

Name	Indications	Caloric Density
Alimentum Advance Powder	severe food allergies, protein or fat malabsorption (elemental)	20/oz
Alimentum Advance RTF	severe food allergies, protein or fat malabsorption (elemental)	20/oz
EleCare (for infants)	malabsorption, GI tract impairment, severe food allergies, infants and children (elemental)	20/oz
<b>EleCare Junior</b>	<b>malabsorption, GI tract impairment, severe food allergies, children ages 1 year and older</b>	
Neocate	infants w/ multiple food protein intolerance	20/oz
Neocate Junior	multiple food allergies, over one year of age	30/oz
Neocate One	impaired digestion/absorption, over one yr.	30/oz
Nutramigen Lipil	sensitivity to intact protein	20/oz
E028 Splash	elemental diet	30/oz
<b>PediaSure Peptide 1.0 Cal</b>	<b>malabsorption, maldigestion, and other GI conditions (children ages 1-13)</b>	
<b>PediaSure Peptide 1.5 Cal</b>	<b>malabsorption, maldigestion, and other GI conditions (children ages 1-13)</b>	
Pepdite One+	gastrointestinal impairment, malabsorption	30/oz
Peptamen Junior	gastrointestinal impairment	30/oz
Peptamen Junior Fiber	gastrointestinal impairment with fiber blend for bowel management	30/oz
Peptamen Junior Prebio	gastrointestinal impairment with soluble fiber for GI health	30/oz
Peptamen Junior 1.5	calorically dense; gastrointestinal impairment with volume/fluid restriction	30/oz
Portagen	impaired fat absorption, pancreatic insufficiency, bile acid deficiency	
Pregestimil	malabsorption, short gut syndrome, CF	20/oz
Pregestimil 24	malabsorption, short gut syndrome, CF	24/oz
Pro-Peptide for Kids	GI impairment, Crohn's disease, CF, children	30/oz
<b>Vital Junior (Brand Discontinued)</b>	<b>peptide-based formula for malabsorption, maldigestion, and other GI conditions</b>	<b>8/oz</b>
Vivonex Pediatric	impaired digestion or absorption	24/oz

B4162	ENTERAL FORMULA, FOR PEDIATRICS, SPECIAL METABOLIC NEEDS FOR INHERITED DISEASE OF METABOLISM, INCLUDES PROTEINS, FATS, CARBOHYDRATES, VITAMINS AND MINERALS, MAY INCLUDE FIBER, <b>ADMINISTERED THROUGH AN ENTERAL FEEDING TUBE</b> , 100 CALORIES = 1 UNIT
B4162 SC	ENTERAL FORMULA, FOR PEDIATRICS, SPECIAL METABOLIC NEEDS FOR INHERITED DISEASE OF METABOLISM, INCLUDES PROTEINS, FATS, CARBOHYDRATES, VITAMINS AND MINERALS, MAY INCLUDE FIBER, <b>ADMINISTERED ORALLY</b> , 100 CALORIES = 1 UNIT

Name	Indications	Caloric Density
<b>3200AB</b>	<b>tyrosinemia</b>	<b>20/oz</b>
3232A	disaccharidase deficiency	12.7/oz
<b>80056</b>	<b>urea cycle disorders</b>	<b>17/oz</b>
Acerflex	maple syrup urine disease	395/100 g
Calcilo XD	restricted calcium and/or vitamin D intake, not covered for adults	22/oz
<b>Complex JR MSD</b>	<b>Maple Syrup Urine Disease</b>	<b>400/g</b>
Cyclinex - 1	defect in urea cycle enzyme	20/oz
Glutarex - 1	glutaric aciduria	19/oz
<b>HIST 1</b>	<b>histidemia (infants)</b>	
<b>HIST 2</b>	<b>histidemia (children)</b>	
HOM 1	homocystinuria (infants)	
HOM 2	homocystinuria (children)	
Hominex - 1	homocystinuria or hypermethioninemia	
I – Valex - 1	inborn error of metabolism	
Ketonex - 1	inborn error of metabolism	19/oz
MSUD 1	inborn error of metabolism	
MSUD Diet Powder	inborn error of metabolism	
MSUD Analog	inborn error of metabolism	
OS 1	inborn error of metabolism, infants	
OS 2	inborn error of metabolism, children	
Periflex Infant	inborn error of metabolism, infant	
Phenex - 1	inborn error of metabolism, infants, toddlers	
Phenyl-Free 1	inborn error of metabolism, infants, toddlers	
PKU 1	inborn error of metabolism, infants	
PKU 2	inborn error of metabolism, children	
PKU 3	inborn error of metabolism, adolescents, women	
Propimex – 1	inborn error of metabolism, infants, toddlers	
TYROS 1	tyrosinemia	
<b>TYROS 2</b>	<b>tyrosinemia</b>	
TYR 1	inborn error of metabolism, infants	
TYR 2	inborn error of metabolism, children	
Tyrex – 1	inborn error of metabolism	
UCD 1	inborn error of metabolism	
UCD 2	inborn error of metabolism	
XLEU Analog	inborn error of metabolism	
XLEU Maxamaid	inborn error of metabolism	
XLYS, XTrp Analog	inborn error of metabolism	
XLYS, TRY Maxamaid	inborn error of metabolism	
XMET Analog	inborn error of metabolism	
XMET Maxamaid	inborn error of metabolism	
XMTVI Analog	inborn error of metabolism	
XMTVI Maxamaid	inborn error of metabolism	
XP Maxamaid	inborn error of metabolism	
XPhe, XTyr Analog	inborn error of metabolism	
XPHEN, TYR Maxamaid	inborn error of metabolism	
XPTM Analog	inborn error of metabolism	